



Subject: Continuous Passive Motion (CPM)

Revision: 4/25

DESCRIPTION

Continuous passive motion (CPM) is applied by a machine that passively and repeatedly moves the knee through a specified range of motion (ROM). It is believed that CPM increased recovery of knee ROM and has other therapeutic benefits.

APPLICABILITY

This policy applies to all OSU Health Plan (OSUHP) benefit plans

DEFINITIONS

Continuous passive motion is the process of passively moving a joint through a pre-set range of motion by use of a special machine.

Range of motion is the amount of movement that a particular joint or series of joints can achieve in a specific direction, it measures the joint functionality and flexibility.

POLICY

The OSU Health Plan considers CPM medically necessary for up to 21 days for covered persons who have received a total knee replacement.

PROCEDURES

The third-party administrator will cover Continuous Passive Motion (CPM) of the knee [HCPCS E0935] up to a maximum of 21 days.

PRIOR AUTHORIZATION

Prior authorization is not required for CPM of the knee for up to 21 days.

EXCLUSIONS

The OSU Health Plan does not cover the use of knee CPM beyond 21 days. The

OSU Health Plan does not cover use of CPM for joints other than the knee.

CODES

Codes related to this policy include:

HCPC codes covered up to 21 days:

HCPC Code	DESCRIPTION
E0935	Continuous passive motion exercise device for use on knee only

HCPCS codes not covered (per Medicare):

HCPC Code	DESCRIPTION
E0936	Continuous passive motion exercise device for use other than knee

REFERENCES

- Aetna. (2018, March 12). Continuous Passive Motion (CPM) Machines. Retrieved July 20, 2018, from http://www.aetna.com/cpb/medical/data/1_99/0010.html Board Certified Physician.
- Centers for Medicare & Medicaid Services. (2005, July 5). *Durable Medical Equipment Reference* (NCD 280.1). Retrieved April 6, 2016, from <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCID=190&bc=AgAAQAAAAAAAA&ncdver=2>
- Harvey LA, Brosseau L, Herbert RD. Continuous passive motion following total knee arthroplasty in people with arthritis. *Cochrane Database of Systematic Reviews* 2014, Issue 2. Art. No.: CD004260. DOI: 10.1002/14651858.CD004260.pub3
- Liao, C.D., Tsauo, J.Y., Huang, S.W., Chen, H.C., Chiu, Y.S. and Liou, T.H. (2019). Preoperative range of motion and applications of continuous passive motion predict outcomes after knee arthroplasty in patients with arthritis. *Knee Surg Sports Traumatol Arthrosc*, 27(4), 1259-1269.
- Leibold, E., & Bentley, K. (Eds.). (2015). *2016 HCPCS Level II Expert*. Salt Lake City, UT: Optum360, LLC.
- Peters SE, Jha B, Ross M. Rehabilitation following surgery for flexor tendon injuries of the hand. *Cochrane Database of Systematic Reviews* 2021, Issue 1. Art. No.: CD012479. DOI: 10.1002/14651858.CD012479.pub2.
- Prabhu RKR, Swaminathan N, Harvey LA. Passive movements for the treatment and prevention of contractures. *Cochrane Database of Systematic Reviews* 2013, Issue 12. Art. No.: CD009331. DOI: 10.1002/14651858.CD009331.pub2